



# The Siebold Company, Inc.

sieboldgraphicarts.com 800-452-9481



## FOR SALE: 11-UNIT DGM 850 PRESS LINE

AVAILABLE IMMEDIATELY SUBJECT TO PRIOR SALE



### PRESS SPECIFICATIONS:

- Nominal cut-off: 22" (560MM)
- Maximum web width: 35" (889MM)
- Minimum web width: 23" (584MM)
- Maximum geared press speed: 50,000 IPH straight, 25,000 IPH collect

### GENERAL INFORMATION:

- Installed new in 1998
- Production terminated August 2018
- Very well maintained and in excellent condition
- Print samples available upon request

### PRESS DESCRIPTION:

- One (1) DGM 1050 half page folder S/N 868 24 3:
  - 56 degree lower former with skip slitter
  - Upper former
  - Pneumatic trollies
  - +/- .5" lap adjustment





# The Siebold Company, Inc.

sieboldgraphicarts.com 800-452-9481



- Eleven (11) DGM 850 printing units arranged as three 2-highs and five monos each with:
  - Drop down ink fountains with 25 calibrated levers
  - Ryco spray bar dampening
  - Spring tension plate cylinder lock-up
  - Standard "T" bard blanket lock-up
  - On-the-run sidelay adjustment of +/- .125" (3.17mm)
  - On-the-run circumferential adjustment of +/- .062" (1.57mm)
  - Pneumatic control of ink forms, water forms and impression
  - Centralized lubrication block
  - Heavy duty drive shaft with thomas coupling
  - Contact web break detector
  - Top iron with full-page motorized compensators



- Six (6) Jardis FP4540 flying pasters with:
  - Automatic tension control
  - Fully automatic paste control
  - Two full-diameter roll capacity
  - Motorized running sidelay +/- 3/4" (20mm) travel
  - Motorized roll lifting & traversing hoist
  - 16 pneumatic paper roll shafts







# The Siebold Company, Inc.

sieboldgraphicarts.com 800-452-9481




- Press drive and controls:
  - One (1) console desk controller
  - Two (2) 150HP Baldor motors with blowers
  - NOTE: Press drive controllers are NOT INCLUDED



- Auxilliary Equipment:
  - One (1) DMB plate bender
  - One (1) DPP-C plate punch
  - Two (2) Ryco Mark III fountain solution supply systems
  - Contact web break detectors



DGM 850 with DGM 1050 Folder current press configuration



**Additional information, including pricing, available upon request.**

**Beau Campbell, VP Sales Midwest Sales, beau@siebold.com 913-522-4889**

**Bob Hallstrom, VP Manufacturing & Product Development bob@siebold.com 847-648-1652 Bruce**

**Barna, VP Sales & Marketing bruce@siebold.com 412-973-3388**

