



FOR SALE: 11-UNIT GOSS URBANITE
AVAILABLE IMMEDIATELY SUBJECT TO PRIOR SALE



PRESS SPECIFICATIONS:

- Nominal cut-off: 22" (560MM)
- Maximum web width: 35" (889MM)
- Minimum web width: 23" (584MM)
- Maximum geared press speed: 50,000 IPH straight, 25,000 IPH collect

GENERAL INFORMATION:

- Installed new in 1990
- Production terminated 2018
- Very well maintained and in excellent condition
- Can be seen installed with power (unable to demo print)
- Print samples available upon request



PRESS DESCRIPTION:

- One (1) Goss Urbanite folder U-5053:
 - Quarter folder
 - Skip splitter on lower former
 - Upper former
- Eleven (11) DGM 850 printing units arranged as three 2-highs and five monos each with:
 - GMI auto inking with presets
 - Sock dampening
 - Spring tension plate cylinder lock-up
 - Standard "T" bard blanket lock-up
 - On-the-run manual sidelay adjustment
 - On-the-run 10-side manual circumferential adjustment
 - Pneumatic control of ink forms, water forms and impression
 - Heavy duty drive shaft with thomas coupling
 - Contact web break detector
 - Top iron with full-page motorized compensators





- Seven (7) Enkel pasters with:
 - Automatic tension control
 - Fully automatic paste control
 - Two full-diameter roll capacity
 - Motorized running sidelay
 - Motorized roll lifting & traversing hoist
 - Pneumatic paper roll shafts



Press drive and controls:

- One (1) console desk controller
- One (1) GMI inking desk with monitor
- Two (2) 150HP Baldor motors with blowers





- Auxilliary Equipment:
 - Burgess Industry automatic plate bender with transfer tables located before and after
 - Burgess Industry manual plate punch
 - Burgess semi-automatic plate bender as back up (black unit)
 - Contact web break detectors

PRESS CONFIGURATION

